Prepared by:
Stan Hauser
RIVER STATES TRUCK AND
TRAILER
3959 NORTH KINNEY COULEE
ROAD
LA CROSSE, WI 54601
Phone: 608-791-4670

SPECIFICATION PROPOSAL

Da	ata Code	Description	Weight Front	Weight Rear	Retail Price
Price Leve	el				
PF	RL-15M	M2 PRL-15M (EFF:10/25/16)			STD
Data Versi	ion				
DF	RL-007	SPECPRO21 DATA RELEASE VER 007			N/C
Interior Co	onvenience	e/Driver Retention Package			
05	5-004	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION			\$349.00
Vehicle Co	onfiguratio	n			
00	1-175	M2 112 CONVENTIONAL CHASSIS	8,244	6,126	\$142,740.00
00	14-218	2018 MODEL YEAR SPECIFIED			N/C
00	2-004	SET BACK AXLE - TRUCK			STD
01	9-002	STRAIGHT TRUCK PROVISION			STD
00	3-001	LH PRIMARY STEERING LOCATION			STD
General Se	ervice				
AA	\1-002	TRUCK CONFIGURATION			STD
AA	\ 6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A8	35-020	FIRE SERVICE			N/C
A8	34-1EV	EMERGENCY VEHICLES BUSINESS SEGMENT			N/C
AA	N4-002	LIQUID BULK COMMODITY			N/C
AA	A5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AE	31-008	MAXIMUM 8% EXPECTED GRADE			STD
AE	35-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
99	5-1AE	FREIGHTLINER LEVEL II WARRANTY			N/C
A6	66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			



Data Code	Description	Weight Front	Weight Rear	Retail Price
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs			
Truck Service				
AA3-027	FIRE TANK/PUMPER - MAIN DRIVELINE DRIVEN SPLIT-SHAFT PTO/PUMP			N/C
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine				
101-23F	CUM L9 450EV HP @ 2100 RPM; 2200 GOV RPM, 1250 LB/FT @ 1400 RPM, RV/FIRE/EM	-850	-70	(\$862.00)
Electronic Parame	eters			
79A-065	65 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipmen	t			
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$109.00
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
133-004	ONE PIECE VALVE COVER			STD
014-1BX	SIDE OF HOOD AIR INTAKE WITH NFPA COMPLIANT EMBER SCREEN AND FIRE RETARDANT DONALDSON AIR CLEANER			\$105.00
124-1E7	DR 12V 275 AMP 40-SI BRUSHLESS PAD ALTERNATOR WITH REMOTE BATTERY VOLTAGE SENSE	10		\$707.00




Data Code	Description	Weight Front	Weight Rear	Retail Price
292-098	(2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED STUD BATTERIES	-50	-10	(\$136.00)
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			N/C
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	8		\$230.00
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-039	GVG, FIRE AND EMERGENCY SERVICE VEHICLES ENGINE WARNING			N/C
128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH	80		\$2,553.00
016-1DC	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE EXITING FORWARD OF REAR TIRES	10	5	\$251.00
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-022	RH HORIZONTAL TAILPIPE, EXIT FORWARD OF REAR TIRES AT 90 DEGREES	20	20	N/C
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			\$18.00
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		N/C
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			N/C
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH			\$54.00
Transmission				
342-1KD	ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-80	-20	\$10,222.00
Transmission Equi	pment			
343-331	ALLISON VOCATIONAL PACKAGE 198 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL EVS			N/C
84B-003	ALLISON VOCATIONAL RATING FOR FIRE TRUCK/EMERGENCY VEHICLE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-022	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-022	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84L-010	DISABLE - LOAD BASED SHIFT SCHEDULE, DISABLE - VEHICLE ACCELERATION CONTROL			N/C
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED			N/C
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			N/C
353-065	VEHICLE INTERFACE WIRING CONNECTOR WITH BLUNT CUTS, AT BACK OF CAB			\$63.00
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED			\$25.00
362-035	CUSTOMER INSTALLED CHELSEA 277 SERIES PTO			N/C
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			N/C
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			N/C
Front Axle and Eq	uipment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	210		\$3,463.00
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10		N/C
403-026	FIRE AND EMERGENCY SEVERE SERVICE, NON-ASBESTOS FRONT LINING			\$43.00
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			STD
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS			\$49.00





Data C	ode Descriptio	n	Weight Front	Weight Rear	Retail Price
536-05	5 TRW THP- AUXILIARY	60 POWER STEERING WITH RCH45 GEAR	5 130		N/C
539-00	3 POWER ST	FEERING PUMP			STD
534-00	3 4 QUART F	OWER STEERING RESERVOIR	5		N/C
533-00	OIL/AIR PC	WER STEERING COOLER			N/C
40T-00	ORGANIC	SAE 80/90 FRONT AXLE LUBE			STD
Front Suspen	sion				
620-02	20,000# TA	PERLEAF FRONT SUSPENSION	200		\$1,509.00
619-00		NCE FREE RUBBER BUSHINGS - SPENSION			STD
62H-01	10 FRONT SU SHACKLE	SPENSION WITH LEFT HAND OFFS BRACKET	SET 4		\$86.00
410-00	1 FRONT SH	OCK ABSORBERS			STD
Rear Axle and	d Equipment				
420-1k	(3 MT-40-14X AXLE	40,000# R-SERIES TANDEM REAR		-40	\$126.00
421-48	8 4.88 REAR	AXLE RATIO			\$147.00
424-00		R AXLE CARRIER WITH OPTIONAL TY AXLE HOUSING		30	\$101.00
386-07	-	ERITOR EXTENDED LUBE MAIN WITH HALF ROUND YOKES	-30	-30	(\$138.00)
388-07		ERITOR EXTENDED LUBE INTERA WITH HALF ROUND YOKES	XLE		STD
452-00		ONTROLLED TRACTION TIAL - BOTH TANDEM REAR AXLES	3	30	\$1,423.00
878-02	CÓNTROL	XLE LOCK VALVE, (1) DRIVER LED DIFFERENTIAL LOCK FORWAF REAR-REAR AXLE VALVE	RD-		N/C
87A-00		LAMP WITH EACH INTERAXLE LOC NTERAXLE UNLOCK DEFAULT WIT DFF			STD
87B-00	_	LAMP WITH EACH MODE SWITCH, TIAL UNLOCK WITH IGNITION OFF MPH	,		N/C
423-02		16.5X7 Q+ CAST SPIDER CAM REA DOUBLE ANCHOR, FABRICATED	R	20	\$22.00
433-02		EMERGENCY SEVERE SERVICE N S REAR BRAKE LINING	ON-		N/C
434-01		MS AND CHAMBERS ON FORWAR RIVE AXLE(S)	D		N/C
451-02	3 CONMET 0	CAST IRON REAR BRAKE DRUMS			STD
440-02	SKF SCOT	SEAL PLUS XL REAR OIL SEALS			STD





Data Code	Description	Weight Front	Weight Rear	Retail Price
426-075	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			STD
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			\$90.00
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE			STD
Rear Suspension				
622-1A0	TUFTRAC 40,000# REAR SPRING SUSPENSION		330	\$2,559.00
621-055	TUFTRAC STANDARD RIDE HEIGHT			N/C
431-003	AXLE CLAMPING GROUP			N/C
624-009	54 INCH AXLE SPACING			N/C
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			N/C
439-001	REAR SHOCK ABSORBERS - ONE AXLE			N/C
Brake System				
018-002	AIR BRAKE PACKAGE			STD
490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL			\$199.00
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-001	STANDARD AIR SYSTEM PRESSURE PROTECTION AND 85 PSI PRESSURE PROTECTION FOR AIR HORN(S)			N/C
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			N/C
460-1AU	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION, NO TRIPLE OR TORPEDO TANKS			\$226.00
607-006	CLEAR FRAME RAIL 36 INCHES FROM BACK OF CAB INSIDE/OUTBOARD AND BELOW RH FRAME RAIL			\$63.00
477-008	BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK			\$66.00
Trailer Connections				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			STD
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
30L-998	NO HIGH CURRENT TRAILER/BODY CABLE			STD
Wheelbase & Frame				



Data Code	Description	Weight Front	Weight Rear	Retail Price
545-502	5025MM (198 INCH) WHEELBASE			N/C
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	70	30	\$403.00
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	180	370	\$935.00
552-042	1950MM (77 INCH) REAR FRAME OVERHANG			N/C
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-30	120	N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 132.45 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 129.45 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 305.12			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 132.45 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 70.9 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 80.12 in			N/C
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER			N/C
Chassis Equipment				
556-1CW	THREE-PIECE 14 INCH CHROME STEEL BUMPER WITH COLLAPSIBLE ENDS AND LH WING CUTOUT FOR FEDERAL MS100/ES100/ES100C SPEAKER			\$320.00
558-033	REMOVABLE FRONT TOW HOOKS STORED ON THE CHASSIS FRAME	25		\$99.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
970-039	TANK BODY 1501 TO 3000 GALLONS			N/C
Fuel Tanks				
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	-10		(\$27.00)
218-005	RECTANGULAR FUEL TANK(S)			N/C



	Data Code	Description	Weight Front	Weight Rear	Retail Price
-	215-004	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			\$152.00
	212-007	FUEL TANK(S) FORWARD			STD
	664-001	PLAIN STEP FINISH			STD
*	205-001	FUEL TANK CAP(S)			STD
	122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10		N/C
	216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires					
	093-1E2	MICHELIN XFE 425/65R22.5 20 PLY RADIAL FRONT TIRES	172		\$984.00
	094-0DH	MICHELIN XDE M/S 11R22.5 14 PLY RADIAL REAR TIRES		56	(\$624.00)
Hubs					
	418-056	CONMET PRESET PLUS IRON FRONT HUBS			STD
	450-056	CONMET PRESET PLUS IRON REAR HUBS			STD
Wheel	S				
	502-1H5	ALCOA LVL ONE 82462X 22.5X12.25 10-HUB PILOT 4.68 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	-8		\$612.00
	505-320	F/L BEVEL LOGO 40620 ALUMINUM OUTSIDE, ACCURIDE 50487 ACCU-LITE STEEL INSIDE; 22.5X8.25 10-HUB PILOT DISC REAR WHEELS		-96	\$744.00
	524-001	POLISHED FRONT WHEELS; OUTSIDE ONLY			\$42.00
	525-007	POLISHED REAR WHEELS; BOTH SIDES OF OUTER WHEELS ONLY			\$62.00
	496-011	FRONT WHEEL MOUNTING NUTS			STD
_	497-011	REAR WHEEL MOUNTING NUTS			STD
Cab E	xterior				
	829-072	112 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	650-008	AIR CAB MOUNTS			STD
	705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2		\$72.00
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		\$84.00
	678-001	LH AND RH GRAB HANDLES			STD
	646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE			\$269.00



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$50.00
	644-004	FIBERGLASS HOOD			STD
	690-002	TUNNEL/FIREWALL LINER			\$40.00
	727-1B0	DUAL 25 INCH ROUND STUTTER TONE HOOD MOUNTED AIR HORNS	8		\$552.00
	726-002	DUAL ELECTRIC HORNS			\$10.00
	728-002	DUAL HORN SHIELDS			N/C
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
	312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL			N/C
	302-047	LED AERODYNAMIC MARKER LIGHTS			\$37.00
	311-001	DAYTIME RUNNING LIGHTS			\$21.00
	294-090	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING FOR COMBINED STOP/TURN LIGHTS TO FOUR FEET BEYOND END OF FRAME		-5	(\$30.00)
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			\$298.00
	797-001	DOOR MOUNTED MIRRORS			STD
	796-001	102 INCH EQUIPMENT WIDTH			STD
	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
	729-001	STANDARD SIDE/REAR REFLECTORS			STD
	677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER			\$42.00
	768-043	63X14 INCH TINTED REAR WINDOW			STD
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
	654-003	MANUAL DOOR WINDOW REGULATORS			STD
	663-013	TINTED WINDSHIELD			STD
N	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD
Cab	Interior				
	707-1AK	OPAL GRAY VINYL INTERIOR			N/C
	706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			\$15.00



Data Code	Description	Weight Front	Weight Rear	Retail Price
708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			\$25.00
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER			(\$11.00)
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			N/C
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			(\$320.00)
860-004	SMART SWITCH EXPANSION MODULE			\$189.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-034	PREMIUM INSULATION			\$187.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			N/C
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$17.00
756-1E7	SEATS INC 911 UNIVERSAL SERIES HIGH BACK AIR SUSPENSION DRIVER SEAT WITH NFPA 1901-2009 COMPLIANT SEAT SENSOR	50		\$539.00
760-1F1	SEATS INC 911 UNIVERSAL SERIES HIGH BACK NON SUSPENSION PASSENGER SEAT WITH UNDERSEAT STORAGE AND NFPA 1901-2009 COMPLIANT SEAT SENSOR	25	10	\$233.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-023	GRAY VINYL DRIVER SEAT COVER WITH GRAY CORDURA CLOTH BOLSTER AND HEADREST			N/C
761-022	GRAY VINYL FRONT PASSENGER SEAT COVER WITH GRAY CORDURA CLOTH BOLSTER AND HEADREST			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
763-105	NFPA 1901-2009 HIGH VISIBILITY ORANGE SEAT BELTS			\$132.00
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		\$478.00
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Cor	ntrols			
732-003	WOODGRAIN DRIVER INSTRUMENT PANEL			N/C
734-003	WOODGRAIN CENTER INSTRUMENT PANEL			N/C
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			N/C
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-006	ENGINE COMPARTMENT MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS, WITH WARNING LIGHT IN DASH			\$30.00
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			N/C
156-020	IGNITION SWITCH WITH NON REMOVABLE KEY			\$2.00
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH MULTIPLE SET SPEEDS			\$85.00
163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			N/C
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS			N/C
49B-004	ENHANCED STABILITY CONTROL			\$1,334.00
73B-998	NO LANE DEPARTURE WARNING SYSTEM			STD



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
	679-001	OVERHEAD INSTRUMENT PANEL			N/C
	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			N/C
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			\$92.00
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
	817-001	STANDARD VEHICLE SPEED SENSOR			STD
	812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
	813-1C0	NFPA VEHICLE DATA RECORDER AND SEATBELT DISPLAY	5		\$1,093.00
	8D1-998	NO DIRECT CONNECT			STD
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
	264-025	(1) RH FOOT SWITCH WITH DASH SWITCH FOR HORN BUTTON TO CONTROL AIR HORN, DEFAULT TO ELECTRIC <85 PSI			\$201.00
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
	869-998	NO MISCELLANEOUS GAUGES			STD
Design					
	065-000	PAINT: ONE SOLID COLOR			STD
Color					
	980-5E1	CAB COLOR A: L0214EB RED ELITE BC			N/C
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	98K-998	NO FUEL TANK CABINET PAINT			STD
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD



Prepared by:
Stan Hauser
RIVER STATES TRUCK AND
TRAILER
3959 NORTH KINNEY COULEE
ROAD
LA CROSSE, WI 54601
Phone: 608-791-4670

Dat	a Code	Description	Weight Front	Weight Rear	Retail Price
963	3-003	STANDARD E COAT/UNDERCOATING			STD
Certificatio	n / Compl	iance			
996	6-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Sales Prog	rams				
		NO SALES PROGRAMS HAVE BEEN SELECTED			

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$175,930.00

Weight Summary						
	Weight	Weight	Total			
	Front	Rear	Weight			
Factory Weight ⁺	8440 lbs	6876 lbs	15316 lbs			
Dealer Installed Options	0 lbs	0 lbs	0 lbs			
Total Weight ⁺	8440 lbs	6876 lbs	15316 lbs			

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

 PMU-017
 2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR
 \$300.00

 P73-2FT
 STANDARD DESTINATION CHARGE
 \$2,000.00

FREIGHTLINE

Extended Warranty

WAG-010 TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

\$200.00



Prepared for: Brian Haferman Princeton Fire Department 438 West Main Princeton, WI 54968

Princeton, WI 54968 Phone: 715-591-4933 Prepared by:
Stan Hauser
RIVER STATES TRUCK AND
TRAILER
3959 NORTH KINNEY COULEE
ROAD
LA CROSSE, WI 54601

Phone: 608-791-4670

Currency Exchange Rate 1.0000
Total Extended Warranty (Local Currency) \$200.00

Dealer Installed Options					
		Weight Front	Weight Rear	Price	
1	DIESEL AND DEF FILL PRIOR TO DELIVERY	0	0	\$200.00	
	Total Dealer Installed Options	0 lbs	0 lbs	\$200.00	

⁽⁺⁾ Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.



^(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

Prepared by:
Stan Hauser
RIVER STATES TRUCK AND
TRAILER
3959 NORTH KINNEY COULEE
ROAD
LA CROSSE, WI 54601
Phone: 608-791-4670

QUOTATION

M2 112 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

CUM L9 450EV HP @ 2100 RPM; 2200 GOV RPM, 1250 LB/FT @ 1400 RPM, RV/FIRE/EM

ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE TUFTRAC 40,000# REAR SPRING SUSPENSION DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 20,000# TAPERLEAF FRONT SUSPENSION 112 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

5025MM (198 INCH) WHEELBASE 11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI 1950MM (77 INCH) REAR FRAME OVERHANG

1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

			PER UNIT		TOTAL
VEHICLE PRICE TO	OTAL # OF UNITS (1)	\$	101,015	\$	101,015
EXTENDED WARRANTY		\$	200	\$	200
DEALER INSTALLED OPTIONS		\$	200	\$	200
CUSTOMER PRICE BEFORE TAX		\$	101,415	\$	101,415
TAXES AND FEES					
TAXES AND FEES		\$	0	\$	0
OTHER CHARGES		\$	0	\$	0
TRADE-IN					
TRADE-IN ALLOWANCE		\$	(0)	\$	(0)
BALANCE DUE	LOCAL CURRENCY)	\$	101,415.00	\$	101,415.00
COMMENTS: Projected delivery on / provided the order is received before / / APPROVAL: Please indicate your acceptance of this quotation by signing below: Customer: X Date: / /					

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

